Agrilectric® MaxFlo, MaxSorb, RHA, MaxFlo® Grade IV

1. Identification

Material Name: Agrilectric® MaxFlo, MaxSorb, RHA, MaxFlo® Grade IV

Synonyms:

Product Use: Filtration aid, absorbent, filler, heat insulator

Supplier: Agrilectric Research Company

3063 Hwy 397

Lake Charles, LA. 70615 Phone: (337) 430-0006

Emergency: Emergency Telephone No. (337) 430-0006

2. Hazard Identification

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

No labeling applicable

3. Composition / Information on Ingredients

Substance	CAS#	EINECS#	Wt.%
Crystalline silica (Cristobalite)	14464-46-1	238-455-4	< 1

4. First Aid Measures

Inhalation: IF INHALED: Remove person to fresh air and ensure comfortable breathing. Get medical attention if exposed or concerned or if you feel unwell.

Skin Contact: IF ON SKIN: Wash skin with soap and water. Get medical attention if irritation develops or

persists.

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Get medical attention if irritation persists.

Ingestion: Get medical advice if you feel unwell.

Note to physician: Treat symptomatically, see Section 11.

5. Fire Fighting Measures

Suitable Extinguishing media: Product will not burn. Water/foam, carbon dioxide, ABC fire extinguisher powder; water fog should be used to cool fire-exposed containers, structures and to protect personnel from the surrounding fire.

Unsuitable Extinguishing media: High pressure water jet.

Special exposure hazards: None known.

Combustion products: Product will not burn.

Protection of firefighters: Fire fighters should wear full protective clothing including self-contained breathing apparatus. Keep personnel removed and upwind of fire. Keep containers cool with water spray. Do not inhale combustion gases.

6. Accidental Release Measures

Personal precautions: Use suitable protective equipment (see section 8) to prevent contamination of skin, eyes and personal clothing.

Methods for cleanup: Do not generate dust. Shovel into an appropriate container and recycle or dispose in accordance with applicable regulations and product characteristics at time of disposal (see also Section 13).

Material Name: Agrilectric® MaxFlo, MaxSorb, RHA, MaxFlo® Grade IV

Agrilectric® MaxFlo, MaxSorb, RHA, MaxFlo® Grade IV

Handling and Storage

Handling: Do not generate dust. When using do not eat, drink or smoke. Avoid repeated or prolonged contact with skin and breathing dust. Wash hands thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas.

Storage: Store locked up in the original container.

8. Exposure Controls / Personal Protection

Exposure Limits (US): ACGIH: Crystalline silica: 0.025 mg/m3 (respirable fraction). PNOS: 3 mg/m3 (total respirable), 10 mg/m3 (inhalable).

OSHA: Crystalline Quartz: 10 mg/m3/(%SiO2 + 2) (respirable), 30 mg/m3/(%SiO2 + 2) (total). For cristobalite use half the value calculated for quartz.

Nuisance Dust (PNOR): 5 mg/m3 (respirable), 15 mg/m3 (total).

Engineering controls: Avoid spills and use engineering controls to minimize dust and to control exposure to less than applicable limits. Post warning signs to alert personnel to potentially dusty areas. Practice good housekeeping and provide approved respirators if workers are exposed to dust.

Personal protection: General: General hygiene considerations are appropriate when used as recommended. The following precautions are recognized as common good industrial hygiene practice. Emergency conditions may require additional precautions. Follow precautions listed and recommendations for personal protective equipment.

Eye: Wear eye and face protection. Have eye-wash stations available where eye contact can occur.

Skin: Minimize skin contact. Additional protection may be necessary to prevent skin contact including use of apron, face shield, boots or full body protection. Wash hands thoroughly after handling. A safety shower should be located in the work area.

Respiratory: Do not breathe dust. NIOSH approved respiratory protection should be worn if exposure limits are exceeded. A NIOSH approved respirator is generally acceptable for concentrations up to 10 times the PEL. Use a NIOSH approved air-supplied respirator for higher concentrations, unknown concentrations and for oxygen deficient atmospheres. Use only outdoors or in a well-ventilated area. Engineering controls are the preferred means for controlling chemical exposures. In case of inadequate ventilation wear respiratory protection. Respiratory protection may be needed for non-routine or emergency situations.

Thermal: Not normally required.

Physical and Chemical Properties

Appearance: Coarse black powder

Odor: Odorless Odor threshold: Not available :Ha 6.5 - 9

Melting point: 1700 C (3000 F) Initial Boiling point/ range: Not applicable Flash Point: Not flammable Evaporation rate: Not applicable Flammability (solid, gas): Not flammable Not flammable

Upper/ lower flammability or explosive

limits:

Vapor pressure: Not applicable Vapor density: Not applicable Relative density: 1.8-2.2 Solubility in water: Insoluble Solubility in fats/ oils: Insoluble Partition Coefficient (n-octanol-water): Not available Autoignition temperature: Not applicable Decomposition temperature: Not applicable Viscosity: Not applicable

Material Name: Agrilectric® MaxFlo, MaxSorb, RHA, MaxFlo® Grade IV

Agrilectric® MaxFlo, MaxSorb, RHA, MaxFlo® Grade IV

10. Stability and Reactivity

Reactivity: No dangerous reaction known under conditions of normal use.

Chemical Stability: Product is stable at ambient temperature and pressure.

Hazardous Reactions: Will not occur.
Conditions to Avoid: Product is stable.

Incompatible Materials: Hydrofluoric acid (HF) and other oxidizing agents.

Hazardous Decomposition Product is stable.

Products

11. Toxicological Information

Acute toxicity: Not available Skin corrosion / Not available

irritation:

Germ cell

Respiratory or skin

sensitization:

Not available
Not available

mutagenicity:

Carcinogenicity: Not classified for concentrations of crystalline silica less than 1.0%.

Reproductive toxicity: Not available STOT–single Not available

exposure:

STOT-repeated

exposure:
Aspiration hazard:
Not available

Other Information: Most likely exposure routes are inhalation, skin and eye contact. Excessive

Crystalline silica: Pulmonary fibrosis, silicosis

inhalation of crystalline silica dust may cause a progressive, disabling and sometimes fatal lung disease called silicosis. Symptoms include cough, shortness of breath, wheezing, non-specific chest illness and reduced pulmonary function. This disease is exacerbated by smoking. Individuals with silicosis are predisposed to develop tuberculosis. There is some evidence that breathing crystalline silica is associated with an increased incidence of significant diseases such as scleroderma and kidney disease.

12. Ecological Information

Toxicity: Not available Persistence and Not available

degradability:

Bioaccumulative potential:

Mobility in soil:

Other adverse effects:

Not available

Not available

13. Disposal Considerations

Disposal methods: Dispose of contents/ container in accordance with applicable regulations.

14. Transport Information

Not regulated for transportation.

Environmental Hazards: Not a marine pollutant.

15. Regulatory Information

No components are subject to Montreal Protocol, Stockholm Convention, or Rotterdam Convention.

Material Name: Agrilectric® MaxFlo, MaxSorb, RHA, MaxFlo® Grade IV

Page 3 of 4

SDS-EU

Agrilectric® MaxFlo, MaxSorb, RHA, MaxFlo® Grade IV

Region specific regulations

SARA Title III:

Section 302/304. Extremely Hazardous Substances - None.

Section 311/312. (40CFR370) Hazardous Categories: Acute, Chronic

Section 313: Contains the following SARA 313 Toxic Release Chemicals: None

The following product components are cited on the lists below:

Chemical Name CAS Number List Citations
Crystalline silica (Cristobalite) 14464-46-1 NJ MA, MI, PA

TSCA (Toxic Substance Control Act): Listed.

CA65: Respirable crystalline silica is known to the State of California to cause cancer or reproductive toxicity. Canada WHMIS Classification: D2A. This product has been classified according to the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

16. Other Information

Disclaimer: The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication and is based on data provided by our supplier. The information is given only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision History:

Date Prepared: 15 August 2023 Supersedes: 22 March 2016

MSDS ID: Agrilectric® MaxFlo, MaxSorb, RHA, MaxFlo® Grade IV